

ITEMS MARKED 'TBA' ARE CURRENTLY AT A PROTOTYPE STAGE
AND WILL BE AVAILABLE SOON

OCTOBER 2014

COMPENSATION UNITS AND BOGIE FRAMES

INTERNAL WAGON COMPENSATION – Inside existing 'W' Irons.

2290	INTERNAL COMPENSATION UNIT OO. (4 Wagons)	4.50
2290B	INTERNAL COMPENSATION UNIT OO. (20 Wagons)	18.00
2291	INTERNAL COMPENSATION UNIT EM/P4 (4 Wagons)	4.50
2291B	INTERNAL COMPENSATION UNIT EM/P4 (20 Wagons)	18.00

EXTERNAL WAGON COMPENSATION – Rocking 'W' Irons. For use with MJT Axleboxes and Springs.

2297	BR PLATE TYPE (4 Wagons)	6.50
2297S	BR PLATE TYPE (1 Wagon)	2.20
2298	BR RIVETTED / FABRICATED TYPE (4 Wagons)	6.50
2298S	BR RIVETTED / FABRICATED TYPE (1 Wagon)	2.20
2299	RCH / GWR RIVETTED / FABRICATED TYPE (4 Wagons)	6.50
2299S	RCH / GWR RIVETTED / FABRICATED TYPE (1 Wagons)	2.20
2299T	AS 2299 FOR 3 AXLE VEHICLES (1 Wagon)	3.30
2299BG	AS 2299 FOR BROAD (7') GAUGE VEHICLES (4 Wagon)	8.80
2299BGS	AS 2299 FOR BROAD (7') GAUGE VEHICLES (1 Wagon)	2.40
2952	FITTED WAGON BRAKE SHOES – COSMETIC (12 Pairs)	3.00

CARRIAGE COMPENSATION UNITS. Used with cosmetic bogie sides.

	10'6" (42mm) WHEELBASE (2 Bogies)	TBA
2221	10' (40mm) WHEELBASE (2 Bogies)	6.50
2222	9' (36mm) WHEELBASE (2 Bogies)	6.50
	8'9" (35mm) WHEELBASE (2 Bogies)	TBA
2223	8'6" (34mm) WHEELBASE (2 Bogies)	6.50
2224	8' (36mm) WHEELBASE (2 Bogies)	6.50
2225	7' (36mm) WHEELBASE (2 Bogies)	6.50
2228	6'4" (25.3mm) WHEELBASE – DEAN (2 Bogies)	TBA
2228BG	AS 2228 FOR BROAD (7') GAUGE VEHICLES (2 Bogies)	9.50
2226	SPARE PRESS STUDS FOR CCUs (6 Male / Female pairs)	2.00
2229	CARRIAGE COMPENSATION ARTICULATION UNIT	3.00
2220	BOGIE BRAKE SHOES (8 Pairs)	2.00

RIGID BOGIE FRAMES. Used with cosmetic bogie sides.

	10'6" (42mm) WHEELBASE (2 Bogies)	TBA
2411	10' (40mm) WHEELBASE (2 Bogies)	TBA
2412	9' (36mm) WHEELBASE (2 Bogies)	TBA
2413	8'9" (35mm) WHEELBASE (2 Bogies)	TBA
2414	8'6" (34mm) WHEELBASE (2 Bogies)	TBA
2415	8' (36mm) WHEELBASE (2 Bogies)	TBA
2416	7' (36mm) WHEELBASE (2 Bogies)	TBA
	6'4" (25.3mm) WHEELBASE – DEAN (2 Bogies)	TBA
	AS XXXX FOR BROAD (7') GAUGE VEHICLES (2 Bogies)	TBA
2483	NEM 362 COUPLING TONGUE	TBA
	NEM 362 POCKET POSITION GAUGE	TBA
2220	BOGIE BRAKE SHOES (8 Pairs)	2.00

LOCOMOTIVE AND TENDER HORNBLOCKS. Flexichas System.

4001	DETAILED 1/8" AXLES (6 Coupled Locomotive or Tender)	10.00
4001E	DETAILED 1/8" AXLES (8 Coupled Locomotive or Tender)	TBA
4002	DETAILED 2mm AXLES (6 Coupled Locomotive or Tender)	10.00
4002E	DETAILED 2mm AXLES (8 Coupled Locomotive or Tender)	TBA
4003	BASIC 1/8" AXLES (6 Coupled Locomotive or Tender)	6.00
4003E	BASIC 1/8" AXLES (8 Coupled Locomotive or Tender)	TBA
4004	BASIC 2mm AXLES (6 Coupled Locomotive or Tender)	6.00
4004E	BASIC 2mm AXLES (8 Coupled Locomotive or Tender)	TBA

BEARINGS.

4005	BRASS FLEXICHAS SQUARE BEARINGS 1/8" AXLE (6)	4.30
4006	BRASS FLEXICHAS SQUARE BEARINGS 2MM AXLE (6)	4.30
4007	BRASS 'TOP HAT' BEARINGS 1/8" AXLE (6)	3.20
4008	BRASS 'TOP HAT' BEARINGS 2mm AXLE (6)	3.20
4009	BRASS PIN POINT BEARINGS – WAISTED (16)	2.00
4010	BRASS PIN POINT BEARINGS – SHOULDERED (16)	2.00

AXLEBOXES AND SPRINGS FOR USE WITH EXTERNAL 'W' IRONS.

COMBINED SPRING AXLEBOX UNITS. (4 per pack)

2240	BIRMINGHAM RC & W CO	2.00
2241	RCH OIL	2.00
2242	GWR OIL	2.00
2243	LNER OIL	2.00
2245	GWR GREASE	2.00
2246	ELLIS / MR GREASE	2.00
2247	ATTOCKS GREASE	2.00
2248	GWR OIL 4'6" Spring and 'J' Hanger	2.00
2249	MIDLAND 8A	2.00
2250	MIDLAND W7	2.00
2251	L & Y B3 *1	2.00
2252	L & Y ATTOCKS *1	2.00
2253	GNR GREASE	2.00
2254	GCR GREASE	2.00
2260	GWR OIL 'OK' 3'6" Swing Link Type With Hanger	*2 2.00
2261	MGWR (Ireland) Oil 4'3" Spring and 'J' Hanger	*3 2.00

SEPARATE AXLEBOXES (12 per pack)

2241A	RCH OIL	2.60
2246A	ELLIS / MR GREASE	2.60
2247A	ATTOCKS GREASE	2.60
2248A	GWR OIL 4'6" Spring and 'J' Hanger	2.60
2251A	L & Y B3 *1	2.60
2252A	L & Y ATTOCKS *1	2.60
2253A	GNR GREASE	2.60
2254A	GCR GREASE	2.60
2255A	GLOUCESTER RC & W CO 4S *4	2.60
2256A	BR SKF ROLLER BEARING	2.60
2257A	BR / LNER HOPPER WAGON *5	2.60
2261A	MGWR (Ireland) Oil *3	2.60

SEPARATE SPRINGS (12 per pack)

2280	WAGON / VAN SPRINGS. 4 Leaf Cast Shoes	3.00
2281	WAGON / VAN SPRINGS. 4 Leaf Pressed Steel Shoes	3.00
2283	WAGON / VAN SPRINGS. 5 Leaf Cast Shoes	3.00
2284	WAGON / VAN SPRINGS. 5 Leaf Pressed Steel Shoes	3.00
2285	WAGON / VAN SPRINGS. 9 Leaf Cast Shoes *5	3.00
2286	WAGON / VAN SPRINGS. 7 Leaf with 'J' Hanger *3	3.00

*1 Courtesy of Mr. G. Franks of the L & Y Society

*2 Courtesy of Mr. D. Kalber

*3 Courtesy of Mr. J. Mayne

*4 Courtesy of Mr. C Croome

*5 Courtesy of Mr. D Bradwell

COACH BOGIES

COSMETIC BOGIE SIDES AND STEPS. For CCUs / Rigid Bogie Frames.

1106	BR(S) MK4 EMU POWER BOGIE 8'6" (1). With Shoe Beams	7.00
1107	SHOE BEAMS AND FUSES FOR MK4 POWER BOGIE (2)	3.00
2231X	GWR 9' AMERICAN PATTERN (2)	6.30
2231Y	GWR 9' AMERICAN PATTERN (2)	6.30
2232	LNER GRESLEY MOULTON 8'6" STANDARD (2)	6.30
2233	LMS 9' RIVETTED (2)	6.30
2234	GWR 7' PLATE (2)	7.70
2235	SR 8' STEAM (2)	6.30
2236	GNR / LNER 8' FOX (2)	6.30
2237	PULLMAN 10' (2)	6.30
2238	GWR 9' PRESSED STEEL (2)	7.70
2239	BR B5(S) (2)	5.50
7001	LNER GRESLEY MOULTON 8'6" HEAVY DUTY (2)	6.30
7002	BR MK1 8'6" (2)	5.50
7003	BR COMMONWEALTH 8'6" (2)	5.50
7030	LNER BOGIE STEPBOARDS. 8'6" Bogies (1 fret)	2.60
7031	LNER BOGIE STEPBOARDS. 8' Bogies (1 fret)	2.60

RIGID BOGIE KITS.

1105	BR(S) MK4 POWER BOGIE 8'6" (1). With Shoe beams. Conversion for Hornby SWB Power Bogie	8.00
2231A	GWR 9' AMERICAN PATTERN (2)	7.30
2232A	LNER GRESLEY MOULTON 8'6" STANDARD (2)	7.30
2233A	LMS 9' RIVETTED (2)	7.30
2235A	SR 8' STEAM (2)	7.30

7001A	LNER GRESLEY MOULTON 8'6" HEAVY DUTY (2)	7.30	2805A	51' STEEL ANGLE UNDERFRAME SET. Includes 2806, 2802, 2803 and 2804	10.00
7002A	BR MK1 8'6" (2)	7.30	2805T	51' TURNBUCKLE UNDERFRAME SET. Includes 2809, 2811, 2803 and 2804.	11.00

COACH COMPONENTS

ETCHED BRASS SIDES / OVERLAYS FOR BR(S) EMUS

1000	4-CIG CLASS 421 (4 car Unit))	29.00
1001	4-BIG CLASS 422 (4 Car Unit)	29.00
1002	2-EPB CLASS 416/2 (2 Car Unit)	14.00
1003	4-EPB CLASS 415/2 (4 Car Unit)	29.00
1004	4-TC CLASS 491 (4 Car Trailer Unit)	29.00
1005	GLV CLASS 489 GATWICK LUGGAGE VAN (Single Car)	9.50
1006	MLV CLASS 419 MOTOR LUGGAGE VAN (Single Car)	9.50
1007	2-HAP CALSS 414 (2 Car Unit)	14.50
1008	4-VEP CLASS 423 (4 Car Unit).	29.00
1009	3H CLASS 205(3 Car Diesel Electric Unit)	22.00
1010	4-CEP CLASS 411REFURBISHED (4 Car Unit)	29.00

ETCHED BRASS SIDES / OVERLAYS FOR BR(E) EMUS

1020	CLASS 303 PARCELS (3 Car EMU with cap fronts)	22.50
------	---	-------

COACH ENDS AND OTHER ACCESSORIES FOR BR EMUS

1100	CAB FRONT FOR 4-CIG, 4-BIG, 4-TC, 4VEP. With windscreen wiper, jumper cables, buffers, handrails, roof horns, dummy couplings. (2 Ends)	6.00
1101	CAB FRONT FOR 2/4-EPB, 2-HAP, GLV, MLV, 3H. With windscreen wiper, jumper cables, buffers, buffing plate, roof horns, dummy couplings. (2 Ends)	5.60
1102	INNER ENDS FOR 2/4-EPB, 2-HAP. With Jumper Boxes and Alarm Gear (2)	5.00
1103	INNER ENDS FOR 2/4-EPB, 2-HAP. With Jumper Boxes, without Alarm Gear (2)	5.00
1104	ETCHED PARALLELOGRAM WINDSCREEN WIPERS (2)	
1108	INNER ENDS FOR 3H DEMU. With Jumper Boxes, Jumper Cables and Alarm Gear (4)	10.00
1109	ETCHED ROOF GRILL FOR 3H	2.00
1110	CAB FRONT FOR REFURBISHED 4-CEP. With windscreen wiper, jumper cables, buffers, roof horns, dummy couplings. (2 Ends)	6.00
1111	JUMPER CABLES. Featured in 1101 (2 Ends)	2.00
1112	ROOF HORNS. (2 Long, 2 Short)	2.00
1113	BUFFING PLATES. Featured in 1101 (2)	2.00
1114	EMU (SLAM DOOR) FUSE HOLDERS (8)	2.00
1120	ETCHED CAB FRONT FOR CLASS 302	2.00
2930	BR MK1 ETCHED DOOR HANDLES AND HINGES	2.00
2931	BR MK1 WINDOW CURTAINS. Etched (16 Windows)	3.20
2933	COSMETIC BUCKEYE COUPLINGS (12)	3.00
2934	BR STANDARD COACH BUFFER. Retracted	3.30

See also coach roofs and fittings below

ETCHED BRASS SIDES / OVERLAYS FOR LNER GRESLEY TEAK COACH

Complete with droplights, hinges, door ventilators and handles

2851	D56/57 51'1½" FULL THIRD. Non Vestibule	13.00
2852	D47/48 51'1½" FULL FIRST. Non Vestibule	13.00
2855	D23/115 61'6" CORRIDOR THIRD	13.50
2857	D226/293 61'6" KITCHEN CAR	13.50
2858	D6/130 61'6" CORRIDOR COMPOSITE	13.50
2859	D27A 61'6" OPEN THIRD DINING CAR	13.50
2860	D1/2 61'6" CORRIDOR FIRST	13.50
2861	D114 61'6" 4 COMPARTMENT BRAKE THIRD	13.50
2862	D10C 61'6" RESTAURANT FIRST	13.50
2863	D134/175 61'6" 4 : 2 COMPARTMENT BRAKE COMPOSITE	13.50
2864	D34/324 61'6" 2 : 2 COMPARTMENT BRAKE COMPOSITE	13.50
2865	D143 61'6" 2 : 3 COMPARTMENT BRAKE COMPOSITE	13.50
2866	D113/245 61'6" FULL BRAKE	13.50

COACH ENDS, FLOORPANS AND OTHER ACCESSORIES FOR GRESLEY COACHES

2800A	60' STEEL ANGLE UNDERFRAME SET. Includes 2801, 2802, 2803 and 2804	10.00
2800T	60' TURNBUCKLE UNDERFRAME SET. Includes 2808, 2811, 2803 and 2804	11.00
2801	60' STEEL ANGLE UNDERFRAME TRUSSING	5.50
2802	BATTERY BOXES – STEEL ANGLE TRUSSING (2)	2.20
2803	VACUUM BRAKE CYLINDERS, RESERVOIRS, V HANGERS (2)	3.50
2804	COACH DYNAMOS (2)	2.00

2805A	51' STEEL ANGLE UNDERFRAME SET. Includes 2806, 2802, 2803 and 2804	10.00
2805T	51' TURNBUCKLE UNDERFRAME SET. Includes 2809, 2811, 2803 and 2804.	11.00
2806	51' STEEL ANGLE UNDERFRAME TRUSSING	5.50
2807	RIGID COACH BUFFERS. Retracted; for Vestibule stock (12)	3.30
2808	60' TURNBUCKLE TRUSSING. Includes truss posts.	5.20
2809	51' TURNBUCKLE TRUSSING. Includes truss posts.	5.70
2810	TURNBUCKLE TRUSS POSTS (1 vehicle)	5.20
2811	BATTERY BOXES – TURNBUCKLE TRUSSING; POST 1927. With etched support framing (2)	3.20
2812	CAST DOOR VENTILLATORS (12)	2.30
2813	DOMED ROOF END CASTINGS (2)	2.40
2814	VESTIBULE COACH ENDS; PASSENGER CARS. (2 x 9' wide)	5.00
2815	FLOORPAN FOR 61'6" PASSENGER CARS. 9' width	13.50
2816	COACH DOOR HANDLES (2 Etched Frets)	2.00
2817	GUARDS DOOR HANDLES AND DUCKET (2 Etched Frets)	2.00
2818	FLOORPAN FOR 61'6" PASSENGER BRAKES. 9' width at one end and 8'6" at the other end	13.50
2819	COMPARTMENT DOORS. With sliding gear (12 doors)	4.40
2830	VESTIBULE COACH ENDS; PASSENGER BRAKES. (1 x 9' wide, 1 x 8'6" wide)	5.00
2831	VESTIBULE COACH ENDS; FULL BRAKES. (2 x 8'6" wide)	5.00
2832	FLOORPAN FOR 61'6" FULL BRAKES. 8'6" width	13.50
2833	INTERIOR PARTITION. For Brake and Composite Vehicles	3.00
2834	INTERIOR PARTITION AND ROOF SPARS. Brake (8'6") Profile	2.65
2850	FLOORPAN FOR 51'6" PASSENGER CARS. 9' width	13.50
2853	NON-VESTIBULE COACH ENDS; FULL BRAKES. Etched, for 51'1½" Passenger Cars. (2 x 9' wide)	5.50
2854	NON-CORRIDOR COMPARTMENT PARTITIONS (7)	7.30
2332S	LNER NON-VESTIBULE COACH BUFFER. Pre 1930 Sprung (4)	4.00
2333S	LNER NON-VESTIBULE COACH BUFFER. Post 1930 Sprung (4)	4.00
2980	DETAILED 61'6" TURNBUCKLE CHASSIS DRAWING. 1 : 25.4 (12MM – 1') – Drawing is 32" x 11"	5.00

See also coach roofs and fittings below

COACH ROOFS AND FITTINGS

2970	EXTRUDED ROOF BR MK1 PROFILE	2.00
2971	EXTRUDED ROOF ELLIPTICAL PROFILE (285mm long for LNER 61'6" coaches)	2.00
2971L	EXTRUDED ROOF ELLIPTICAL PROFILE (267mm long for early GWR stock; eg Toplights)	1.60
2971S	EXTRUDED ROOF ELLIPTICAL PROFILE (207mm long for LNER 51'1½" coaches)	2.00
2971V	EXTRUDED ROOF ELLIPTICAL PROFILE (140mm long for vans)	2.00
2813	LNER DOMED ROOF END CASTINGS. For Gresley 61'6" (2)	2.40
1109	ETCHED ROOF GRILL FOR BR(S) 3H DEMU	2.00
2932	BR VENT-AXIA COWLS FOR CATERING VEHICLES (6)	2.00
2940	TORPEDO VENTS. Short later type; BR, LNER, LMS, SR (30)	2.60
2941	SHELL VENTS; GWR. Tall early version (30)	2.60
2942	RIGED DOME VENTS. BR (30)	2.60
2943	SCALLOPED DOME VENTS. BR (30)	2.60
2944	SHELL VENTS; GWR. Short later version (30)	2.60
2945	GAS LAMP TOPS; GWR. For gas lit stock (20)	2.40
2955	OIL LAMP TOPS WITH FILLER; GWR. Small / older stock (20)	2.60

COACH GANGWAY (BELLOWS) CONNECTIONS

2820	LNER / PULLMAN (Pair)	4.40
2821	BR MK1 (Pair)	4.40
2823	GWR (Pair)	4.40
2824	LMS (Pair)	4.40

MISCELLANEOUS COACH PARTS

2202	CAST MANSELL WOODEN WHEEL INSERTS. For Xx diameter wheels (12)	2.40
2210	ETCHED (NICKLE SILVER) BR DISC BRAKE INSERTS. For 3'1" diameter wheels (16)	3.20
2900	BR MK1 63'6" COACH UNDERFRAME	11.00
2934	BR COACH BUFFER. Retracted (12)	3.30
2935	BR STANDARD COACH DYNAMOS (2)	2.00
2936	CAST WINDOW CURTAINS. GWR Type 20mm x 12mm (16)	3.20
2937	VACUUM TANKS (2)	2.00
2954	VAN / COACH VACUUM / STEAM PIPES. Hanging – Back of buffer beam (12)	2.50
2955	VAN / COACH VACUUM / STEAM PIPES. Hanging – Under floor (12)	2.50

3003	CAST TABLE LAMPS. Round Shades; Pullman, Dining car (16)	2.20
3004	CAST TABLE LAMPS. Square Shades; GWR Super Saloon (16)	2.20
3005	GWR COACH DYNAMO. With cable and tensioner	2.60
3006	GWR CHURCHWARD VACUUM CYLINDER WITH CONNECTING PIPE (2)	2.60
3007	SHORT GAS TANKS. With brackets and pipes (2)	2.80
3008	LONG GAS TANK. With brackets and pipes (1)	1.60
SR433	INJECTION MOULDED COACH SEATS. From RATIO	3.20

UNSPRUNG WAGON AND COACH BUFFERS – Cast White Metal

Shank with (Insert Cast) Turned Steel Head

2300	RCH NON-FITTED WAGON BUFFER (4)	3.00
2301	PO NON-FITTED WAGON BUFFER (4) *4	3.00
2302	GWR SHOCK ABSORBING WAGON BUFFER (4)	3.00
2304	MR NON-FITTED WAGON BUFFER (4)	3.00
2305	GWR NON-FITTED WAGON BUFFER (4)	3.00
2306	GWR FITTED WAGON BUFFER (4)	3.00
2307	GWR FITTED WAGON BUFFER. Ribbed (4)	3.00
2308	GWR 2'0" 'COACH' WAGON BUFFER (4)	3.00
2309	PO NON-FITTED WAGON BUFFER. Ribbed (4) *4	3.00

*4 Courtesy of Mr. C Croome

UNSPRUNG WAGON AND COACH BUFFERS – Cast White Metal

2350	BR 1'8" HEAVY DUTY WAGON BUFFER (12) *6	3.30
2351	BR 2'0" HEAVY DUTY WAGON BUFFER (12) *6	3.30
2352	BR 1'8½" OVAL OLEO WAGON BUFFER (12) *6	3.30
2353	BR 1'8½" DOWTY WAGON BUFFER (12) *6	3.30
2807	LNER COACH BUFFERS. Retracted; for Vestibule stock (12)	3.30
2934	BR COACH BUFFER. Retracted (12)	3.30

*6 Courtesy of Mr. J Talbot

SPRUNG WAGON AND COACH BUFFERS – Cast White Metal Shank

Bored to take Turned Steel Head and Spring

2300	RCH NON-FITTED WAGON BUFFER (4)	4.00
2305	GWR NON-FITTED WAGON BUFFER (4)	4.00
2307	GWR FITTED WAGON BUFFER. Ribbed (4)	4.00
2308	GWR 2'0" 'COACH' WAGON BUFFER (4)	4.00
2310S	BR 2'0¼" OLEO WAGON BUFFER 13" HEAD (4)	4.00
2311S	BR 2'0¼" OLEO WAGON BUFFER 18" HEAD (4)	4.00
2312S	BR 1'8¼" OLEO WAGON BUFFER 13" HEAD (4)	4.00
2313S	BR 1'8¼" OLEO WAGON BUFFER 18" HEAD (4)	4.00
2314S	BR 1'8¼" DOWTY WAGON BUFFER 13" HEAD (4)	4.00
2330S	GWR COACH BUFFER. Square Base, Round Head (4)	4.00
2331S	LMS COACH BUFFER. Round Head (4)	4.00
2332S	LNER NON-VESTIBULE COACH BUFFER. Pre 1930 (4)	4.00
2333S	LNER NON-VESTIBULE COACH BUFFER. Post 1930 (4)	4.00

BUFFER HEADS FOR SPRUNG BUFFERS – With Springs

2370	12" BUFFER HEADS. 1mm Shank (20)	7.50
2371	13" BUFFER HEADS. 1mm Shank (20)	7.50
2372	16" BUFFER HEADS. 1mm Shank (20)	7.50
2373	18" BUFFER HEADS. 1mm Shank (20)	7.50
2374	12" BUFFER HEADS. 2.5mm Shank (20)	7.50
2375	13" BUFFER HEADS. 2.5mm Shank (20)	7.50
2307	16" BUFFER HEADS. 2.5mm Shank (20)	7.50
2308	SPARE BUFFER SPRINGS (20)	4.00

BUFFERS FROM FROGMORE CONFEDERACY

3921	DEAN COACH BUFFERS. Cast Buffer, Etched backplate (4)	3.45
3926	SPRUNG COLLETT LOCOMOTIVE BUFFERS. Brass Shank, Steel Head (4)	6.95

MISCELLANEOUS WAGON AND LOCOMOTIVE PARTS

2202	CAST MANSELL WOODEN WHEEL INSERTS. For Xx diameter wheels (12)	2.40
2210	ETCHED (NICKLE SILVER) BR DISC BRAKE INSERTS. For 3'1" diameter wheels (16)	3.20
2950	WAGON VACUUM PIPES. Upright – Buffer beam (12)	2.50
2951	WAGON VACUUM PIPES. Hanging (12)	2.50
2953	COSMETIC COUPLING HOOKS. Cast (20)	3.00
4950	LOCOMOTIVE VACUUM PIPES. As 2950 with low buffer beam mounting plate (12)	2.50
4951	COSMETIC SCREW COUPLINGS. Etched (4 wagons)	3.20

ALEX JACKSON COUPLING JIGS AND ASSOCIATED MATERIALS

2471	BENDING JIG FOR AJ COUPLINGS. No nuts screws or wire	8.50
------	--	------

2472	BENDING JIG FOR AJ COUPLINGS. With nuts screws and wire	9.50
2473	180° JIG FOR AJ COUPLINGS	3.50
2474	180° JIG FOR AJ COUPLINGS. With 12BA nuts and screws.	4.00
2475	MOUNTING JIG FOR AJ COUPLINGS	8.50
2475	GUITAR STRING WIRE 0.011". For AJ couplings (~ 980mm)	1.00
2476	IRON WIRE 1mm. For magnetic droppers (~ 900mm)	1.00
2477	AJ BENDING PACKAGE. 2472 (incl. Accessories) & 2473	12.00
2478	AJ STARTER KIT FOR COACH BOGIES. 2472 (incl. Accessories, 2 x 2476 and 300mm of iron wire	13.90

Items 2471, 2472, 2473 and 2474 courtesy Palatine Models / Mr. G Turner
Item 2475 courtesy Mr. M Gilbert

GWR ETCHED VEHICLE KITS FROM FROGMORE CONFEDERACY

3941	16t AA3 TOAD BRAKE VAN. Wooden Veranda	23.95
3942	16t AA3 TOAD BRAKE VAN. Steel Veranda	23.95
3943	16t AA3 ROAD VAN	23.95
3944	20t AA13 TOAD BRAKE VAN	23.95
3945	AA6 PERMANENT WAY VAN	22.95
3946	BULLION VAN	36.95
3951	D56 VAN THIRD. Left hand	26.95
3951B	D56 VAN THIRD. Right hand	26.95
3952	E82 TOPLIGHT BRAKE COMPOSITE	26.95
3953	G55 SALOON	26.95
3954	K19 TOPLIGHT FULL BRAKE	26.95
3955	K36 TOPLIGHT FULL BRAKE	26.95

GWR ETCHED DETAILING PARTS FROM FROGMORE CONFEDERACY

3901	ROOF TANK COVERS AND BRACKETS	1.95
3903	DEAN LAMP IRONS (Enough for 4 coaches)	1.95
3904	CHURCHWARD IRONS (Enough for 4 coaches)	1.95
3905	DEAN TYPE 'V' HANGERS (6 sets)	2.45
3906	CHURCHWARD (ONWARD) EMERGENCY BRAKE RODDING	2.95
3907	DEAN EMERGENCY BRAKE RODDING	2.95
3909	DEAN VACUUM BRAKE CYLINDER	1.95
3910	DEAN BRAKE CENTRE CRANKS (3)	1.95
3912	CURTAINS (16 pairs)	3.95
3913	BOGIE STEPS. American Pattern Bogie (4)	1.95
3914	BOGIE STEPS. Pressed Steel Bogie (16)	1.95
3915	LONG STEPS (4)	1.95
3916	BATTERY BOXES. Late Collett (4 large, 2 small)	3.95
3917	BATTERY BOXES. Pre 1936 (4 large, 2 small)	3.95
3918	COACH DOOR HINGES (72 Doors)	2.95
3919	GRAB HANDLES (28 x 3mm; 20 x 8mm)	2.95
3920	GRAB HANDLES (8 x 4, 5, 6 and 7mm; 10x10mm)	2.95
3921	DEAN COACH BUFFERS. Cast Buffer, Etched backplate (4)	3.45
3922	BRAKE VAN SANDBOX OPERATING LEVERS (2)	1.95
3923	BRAKE VAN STEP BOARDS	2.95
3924	METROPOLITAN RAILWAY COACH ENDS (pair)	5.95
3925	TENDER BRAKE STANDARDS (2)	2.95
3926	SPRUNG COLLETT LOCOMOTIVE BUFFERS. Brass Shank, Steel Head (4)	6.95

ORDERING INFORMATION

Everything can be ordered from the **DART CASTINGS** web-site:

<http://www.dartcastings.co.uk>

or by mail order from:

DART CASTINGS
17 HURST CLOSE
STAPLEHURST
KENT TN12 0BX



Postage and packing is charged at a fixed rate of £3.00 per order UK and £6.00 overseas regardless of size. Please allow 21 working days for orders to be processed (we are usually much quicker than this).

DART CASTINGS is not registered for VAT.